

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	74	interdigitated adj capacitor and "257"/\$.cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 14:15
L2	4	1 and(serpentine same shaped)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 14:16
L3	45	interdigitated adj capacitor and "361"/\$.cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 14:16
L4	0	3 and(serpentine same shaped)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 14:16
L5	34	interdigitated adj capacitor and "438"/\$.cccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 14:16
L6	2	5 and(serpentine same shaped)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 14:16
S1	341	hayashi adj kazuhiro.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:38
S2	1	S1 and(laminate adj portion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:39

S3	4	S1 and(laminate\$3 adj ceramic adj capacitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:41
S4	2146	(laminate\$3 adj ceramic adj capacitor.ti.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:41
S5	7	S4 and(via adj electrode\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:43
S6	15	361/302 and(via adj electrode\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:44
S7	21	361/306.3 and(via adj electrode\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:51
S8	19	(361/321.1-321.5).ccls. and(via adj electrode\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:00
S9	15	capacitor.ti. and(dielectric same thickness same mitigate\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:54
S10	3	(361/301.1-301.4).ccls. and(via adj electrode\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:02

S11	15	multilayer same capacitor.ti. and(via adj electrode\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:01
S12	13	(361/303).ccls. and(via adj electrode\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:02
S13	0	ceramica same capacitor.ti. and(via adj electrode\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:03
S14	24	ceramic same capacitor.ti. and(via adj electrode\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:03
S15	197	ceramic same capacitor.ti. and(via same electrode\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:08
S16	1240	capacitor.ti. and(through adj hole\$1 same electrode\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:07
S17	1	S16 and(dielectric same thickness same mitigate\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:07
S18	188	(dielectric same thickness same mitigate\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:07

S19	2	ceramic same capacitor.ti. and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:30
S20	1	multilayer same capacitor.ti. and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:31
S21	15	capacitor.ti. and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:35
S22	0	laminate\$3 same capacitor.ti. and(interelectrode adj dielectric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:37
S23	2165	laminate\$3 same capacitor.ti. and(dielectric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:39
S24	760	S23 and(internal adj electrode\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:40
S25	882	laminate\$3 same capacitor.ti. and(dielectric adj layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:39
S26	409	S25 and(internal adj electrode\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 10:46

S27	9	US-6606237-\$ DID. OR US-6034864-\$ DID. OR US-0637001-\$ DID. OR US-6462932-\$ DID. OR US-6496354-\$ DID. OR US-6549395-\$ DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 16:15
S28	4	"6437966"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:13
S29	521	lin adj wen.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:14
S30	2	interdigitated adj capacitor and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:17
S31	1668	serpentine adj shaped	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:16
S32	1	S29 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:16
S33	1	interdigitated adj capacitor.ti. and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:28
S34	33	interdigitated adj capacitor.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 14:12

S35	11	"6441419"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:50
S36	79	capacitor.ti. and(second adj electrode same horizontal\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 10:50